Village of West Salem Erosion Control and Stormwater Management Application

Permit #:	Date:
Project Name:	Application (Individual making in-person application):
Landowner Nam(s):	Applicant Name:
Landowner Address:	Applicant Address:
Landowner Phone: ()	Applicant Phone: ()
Name and Company of Engineer/Consultant who designed the plan	ns, if applicable:
	rosion Control and Stormwater Management Stormwater Management Only (SM)
	horeland Erosion Control Only Shoreland Erosion Control and Stormwater Management (SS)
Parcel Address/Location	Parcel #
Fee Calculation (all projects must include disturbed area and n	new impervious area, even if not included in fee):
First acre of Disturbed Area (square feet):	x \$1.50 /1000 sq.ft. = \$
Area in excess of one acre of Disturbed Area (square feet):	x \$.50 /1000 sq.ft. = \$
Total new Impervious Area (square feet):	x <u>\$1.50</u> /1000 sq.ft. = <u>\$</u>
Total new Redevelopment Impervious Area (square feet)	x <u>\$.50</u> /1000 sq.ft. = <u>\$</u>
	Base Fee = \$ 250.00
	Total Permit Fee = \$
Notes: 1. Be sure to indicate the limits and size (sq.ft.) of all disturbed and	d impervious area on your plan
	ts set forth in Chapter 16 of the Village of West Salem Code of Ordinances.
	the Village of West Salem Administrative Authority to enter project property for inspection
Applicant Signature:	Date:
Landowner Signature:	Date:
D !4 Y ! L	Deter

Stormwater Management Application Checklist

Permit #:

Project Name:		Date:			
Please check the appropriate box: I=Included; NA=Non-Applicable (If "NA" is checked, an explanation must be entered.)					
			Applicant		
Plan Requirement	I	NA	Explanation/Location in Plan		
1. Narrative describing the proposed project, including implementation schedule of designed practices.					
2. Identification of the entity responsible for long-term maintenance of the project.					
3. Map showing drainage areas for each watershed area.					
4. Design practices to maintain peak discharge rates for the 2 and 10-year 24-hour storm events and safely pass the 100-year 24-hour storm event. Include a summary table showing the results of the analysis. *					
5. Complete site plan and specifications. *		10			
6. Engineered designs for all structural management practices.					
7. For new development, trap 5 micron soil particle (80% reduction in TSS) for the 1-year, 24-hour storm event.					
8. For redevelopment, trap 20 micron soil particle (40% reduction in TSS) for the 1-year, 24-hour storm event.					
9. Treat first 0.5 inches of runoff for control of oil and grease from commercial or industrial areas. (see ordinance)					
10. Proof of stable outlet capable of carrying the design flow at a non-erosive velocity.					
11. For residential development infiltrate 90% of the predevelopment infiltration volume and for non-residential development infiltrate 60% of the predevelopment infiltration volume.					
12. Provisions and practices to reduce the temperature of runoff for sites that drain to a cold-water resource as identified in the ordinance (see Thermal Locator).					
13. Maintenance plan and schedule for all permanent stormwater management practices.					
14. Copy of Preliminary Review Letter, if applicable					
15. Proposed schedule for completion and installation of all elements of the Stormwater management plan.					
16. Evidence of financial responsibility to complete work proposed in plan.-Letter of Credit (LOC) format.	<u> </u>				
17. Copy of recorded affidavit required by s. 14.49(3)(d) for privately owned stormwater practices.					
18. Stamped, as-built plans will be required be s. 14.49(5)(e) after site becomes established and before permit is closed out.					
* See Notes on next page Indicates requirement must always be included					

Erosion Control Application Checklist

Permit #:

Project Name:		Date:			
Please check the appropriate box: I=Included; NA=Non-Applicate	ole (<i>If "NA"</i>	' is checked, an e	explanation must be entered.)		
		Applicant			
Plan Requirement	I	NA	Explanation/Location in Plan		
Cross sections and profiles of road ditches and channels (existing and proposed)					
2. Culvert sizes (existing and proposed).					
3. Direction of runoff flow (contours or runoff arrows).					
4. Watershed size for each contributing drainage area.					
 Design discharge for ditches and structural measures (flow calculations). 					
6. Runoff velocities in channels (ft/s, m/s).					
7. Fertilizer and seeding rates (seed, fertilizer, and mulch).					
8. Proposed schedule for completion and installation of all elements of the erosion control plan.					
9. Prevent gully and bank erosion and apply minimum standards for sheet and rill erosion: 7.5 ton/acre/yr. (separate Universal Soil Loss Equation sheet(s) must be completed and attached).					
10. Detailed written description of how the site is to be developed.					
11. Provisions for sequential steps mitigating the erosive effect of land disturbing activities (list of erosion control devices).					
12. Provisions to prevent mud-tracking off-site onto public thoroughfares during construction (stone tracking pad).					
13. Copy of Preliminary Review Letter, permits or approvals by other agencies (e.g. WDNR, Army Corps of Engineers, etc.).					
14. Proof of stable outlet capable of carrying the design flow at a non-erosive velocity.					
15. Any other information necessary to reasonably determine the location, nature, and condition of any physical or environmental features.					
16. Any proposed changes to the erosion control plan must be submitted and approved prior to installation.					

Indicates requirement must always be included

Stormwater Management Plan Notes

The summary table in plan requirement 4 must include the following:

- A) pre-existing peak flow rates
- B) post construction peak flow rates with no detention
- C) post construction peak flow tares with detention
- D) assumed runoff curve numbers
- E) time of concentration used in calculations

Complete site plan and specifications in plan requirement 5 must include the following:

- A) property lines and lot dimensions
- B) all buildings and outdoor uses, existing and proposed, including all dimensions and setbacks
- C) all public and private roads, interior roads, driveways and parking lots, showing traffic patterns and type of paving and surfacing material
- D) all natural and artificial water features
- E) depth to bedrock
- F) depth to seasonal high-water table
- G) the extent and location of all soil types as described in the La Crosse County Soil Survey, slopes exceeding 12%, and areas of natural woodland or
- H) existing and proposed elevations
- I) elevations, sections, profiles, and details as needed to describe all natural and artificial features of the project
- J) soil erosion control and overland runoff control measures, including runoff calculations as appropriate
- K) detailed construction schedule
- L) copies of permits or permit applications required by any other governmental entities or agencies
- M) any other information necessary to reasonably determine the location, nature and condition of any physical or environmental features
- N) all existing and proposed drainage features
- O) the location and area of all proposed impervious surfaces
- P) the size (ft standard) and limits of the disturbed area
- Q) stamped, as-built plans will be required by s. 14.49(5)(e) after site becomes established and before permit is closed out- if these are not provided, the permit will be non-compliant and require additional information to be filed, regardless of how long after the work has been finished