

Submittal of Annual Reports and Other Compliance Documents for Municipal Separate Storm Sewer System (MS4) Permits

NOTE: Missing or incomplete fields are highlighted at the bottom of each page. You may save, close and return to your draft permit as often as necessary to complete your application. After 120 days your draft is **deleted**.

--	--	--	--	--	--	--

Form 3400-224(R8/2021)

Reporting Information :

Will you be completing the Annual Report or other submittal type? ☒ Annual Report ☐ Other

Project Name: 2025 Annual Report

County: La Crosse

Municipality: West Salem Village

Permit Number: S050075

Facility Number: 52349

Reporting Year: 2025

Is this submittal also satisfying an Urban Nonpoint Source Grant funded deliverable? ☐ Yes ☒ No

Required Attachments and Supplemental Information

Please complete the contents of each tab to submit your MS4 permit compliance document. The information included in this checklist is necessary for a complete submittal. A complete and detailed submittal will help us review about your MS4 permit document. To help us make a decision in the shortest amount of time possible, the following information must be submitted:

Annual Report

- Review related web site and instructions for [Municipal storm water permit eReporting](#) [Exit Form]
- Complete all required fields on the annual report form and upload required attachments
- Attach the following other supporting documents as appropriate using the attachments tab above
 - Public Education and Outreach Annual Report Summary
 - Public Involvement and Participation Annual Report Summary
 - Illicit Discharge Detection and Elimination Annual Report Summary
 - Construction Site Pollution Control Annual Report Summary
 - Post-Construction Storm Water Management Annual Report Summary
 - Pollution Prevention Annual Report Summary
 - Leaf and Yard Waste Management
 - Municipal Facility (BMP) Inspection Report
 - Municipal Property SWPPP
 - Municipally Property Inspection Report
 - Winter Road Maintenance
 - Storm Sewer Map Annual Report Attachment
 - Storm Water Quality Management Annual Report Attachment

- TMDL Attachment
 - Storm Water Consortium/Group Report
 - Municipal Cooperation Attachment
 - Other Annual Report Attachment
- Attach the following permit compliance documents as appropriate using the attachments tab above
- Storm Water Management Program
 - Public Education and Outreach Program
 - Public Involvement and Participation Program
 - Illicit Discharge Detection and Elimination Program
 - Construction Site Pollutant Control Program
 - Post-Construction Storm Water Management Program
 - Pollution Prevention Program
 - Municipal Storm Water Management Facility (BMP) Inventory
 - Municipal Storm Water Management Facility (BMP) Inspection and Maintenance Plan
 - Total Maximum Daily Load documents (**If applicable, see permit for due dates.*)
 - TMDL Mapping*
 - TMDL Modeling*
 - TMDL Implementation Plan*
 - Fecal Coliform Screening Parameter *
 - Fecal Coliform Inventory and Map (*S050075-03 general permittees Appendix B B.5.2 – document due to the department by March 31, 2022*)
 - Fecal Coliform Source Elimination Plan (*S050075-03 general permittees Appendix B - document due to the department by October 31, 2023*)
- Sign and Submit form

Municipal Contact Information- Complete

Notice: Pursuant to s. NR 216.07(8), Wis. Adm. Code, an owner or operator of a Municipal Separate Storm Sewer System (MS4) is required to submit an annual report to the Department of Natural Resources (Department) by March 31 of each year to report on activities for the previous calendar year ("reporting year"). This form is being provided by the Department for the user's convenience for reporting on activities undertaken in each reporting year of the permit term. Personal information collected will be used for administrative purposes and may be provided to the extent required by Wisconsin's Open Records Law [ss. 19.31-19.39, Wis. Stats.].

Note: Compliance items must be submitted using the Attachments tab.

Municipality Information

Name of Municipality West Salem Village

Facility ID # or (FIN): 52349

Updated Information: ☐ Check to update mailing address information

Mailing Address: 175 S Leonard Street

Mailing Address 2:

City: West Salem Village

State: WI

Zip Code: 54669 xxxxx or xxxxx-xxxx

Primary Municipal Contact Person (Authorized Representative for MS4 Permit)

The "Authorized Representative" or "Authorized Municipal Contact" includes the municipal official that was charged with compliance and oversight of the permit conditions, and has signature authority for submitting permit documents to the Department (i.e., Mayor, Municipal Administrator, Director of Public Works, City Engineer).

☐ Select to **create new** primary contact

First Name: Teresa

Last Name: DeLong

☐ Select to **update** current contact information

Title: Village Administrator

Mailing Address: 175 S Leonard Street

Mailing Address 2:

City: West Salem

State: WI

Zip Code: 54669 xxxxx or xxxxx-xxxx

Phone Number: 608-786-1858 Ext: xxx-xxx-xxxx

Email: tdelong@westsalemwi.gov

Additional Contacts Information (Optional)

☐ I&E Program

Individual with responsibility for:
(Check all that apply)

- ☐ IDDE Program
- ☐ IDDE Response Procedure Manual
- ☒ Municipal-wide Water Quality Plan
- ☐ Ordinances
- ☐ Pollution Prevention Program
- ☒ Post-Construction Program
- ☐ Winter roadway maintenance

First Name: Joseph

Last Name: Pingel

Title: Cedar Corp Sr Eng

Mailing Address: 2820 Walton Commons West

Mailing Address 2: Suite 142

City: Madison

State: WI

Zip Code: 53718 xxxxx or xxxxx-xxxx

Phone Number: 608-237-5837 Ext: xxx-xxx-xxxx

Email: joe.pingel@cedarcorp.com

Municipal Billing Contact Person (Authorized Representative for MS4 Permit)

☐ Select to **create new** Billing contact

First Name: Teresa

Last Name: DeLong

☐ Select to **update** current contact information

Title: Village Administrator

Mailing Address: 175 S Leonard Street

Mailing Address 2:

City: West Salem

State: WI

Zip Code: 54669 xxxxx or xxxxx-xxxx

Phone Number: 608-786-1858 Ext: xxx-xxx-xxxx

Email: tdelong@westsalemwi.gov

1. Does the municipality rely on another entity to satisfy some of the permit requirements?

☐ Yes ☒ No

2. Has there been any changes to the municipality's participation in group efforts towards permit compliances (i.e., the municipality has added or dropped consortium membership)?

☐ Yes ☒ No

Do not close your work until you **SAVE**.

Note: For the minimum control measures, you must fill out all questions in sections 1 through 7.

Form 3400-224 (R8/2021)

Minimum Control Measures- Section 1 : Complete

1. Public Education and Outreach

- a. Does MS4 conduct any educational efforts or events independently (not with a group) ☒ Yes ☐ No
- b. How many total educational events were held during the reporting year:
- c. Were any of the public education and outreach delivery mechanisms conducted during the reporting year active or interactive? ☒ Yes ☐ No
- d. Please select all storm water topics, target audiences, and delivery mechanisms used in the reporting year

Public Education and Outreach Delivery Mechanisms (Active and Passive)	
Active/Interactive Mechanisms	Passive Mechanisms
☐ Education activities (school presentations, summer camps)	☒ Passive print media (brochures at front desk, posters, etc.)
☐ Information booth at event	☐ Distribution of print media (mailings, newsletters, etc.) via mail or email.
☒ Targeted group training (contractors, consultants, etc.)	☐ Media offerings (radio and TV ads, press release, etc.)
☒ Government event (public hearing, council meeting)	☒ Social media posts
☐ Workshops	☐ Signage
☐ Tours	☒ Website
☒ Other: Ordinance Training with Developer's E...	☒ Other:

Topics Covered	Target Audience
☒ Illicit discharge detection and elimination	☒ General Public
☒ Household hazardous waste disposal/pet waste management/vehicle washing	☒ Public Employees
☒ Yard waste management/pesticide and fertilizer application	☒ Residents
☒ Stream and shoreline management	☒ Businesses
☒ Residential infiltration	☒ Contractors
☒ Construction sites and post-construction storm water management	☒ Developers
☒ Pollution prevention	☐ Industries
☒ Green infrastructure/low impact development	☐ Public Officials
☒ Other: Training Contractors on Erosion Contro...	☐ Other:

- e. Will additional information/summary of these education events be attached to the annual report?
☒ Yes ☐ No

If no, please provide additional comment in the brief explanation box below. *Limit response to 250 characters and/or attach supplemental information on the attachments page.*

Missing Information

Do not close your work until you **SAVE**.

Note: For the minimum control measures, you must fill out all questions in sections 1 through 7

Form 3400-224 (R8/2021)

Minimum Control Measures - Section 2 : Complete

2. Public Involvement and Participation

a. Permit Activities. Select all of the following topics the Permittee did to engage public participation and involvement.

Topics Covered	Target Audience	Estimated People Reached (Optional)	Regional Effort (Optional)
☒ MS4 Annual Report ☒ Storm Water Management Program ☐ Storm Water related ordinance ☐ Other: 	☒ General Public ☒ Public Employees ☒ Residents ☐ Businesses ☐ Contractors ☐ Developers ☐ Industries ☐ Public Officials ☐ Other	<u>11-50</u>	☐ Yes ☐ No

b. Volunteer Activities. Select all of the following audiences targeted for volunteer involvement and participation related to storm water.

☐ NA (Individual Permittee)

Topics Covered	Target Audience	Estimated People Reached (Optional)	Regional Effort (Optional)
Volunteer Opportunity	☒ General Public ☒ Public Employees ☒ Residents ☒ Businesses ☐ Contractors ☐ Developers ☐ Industries ☐ Public Officials ☐ Other	<u>11-50</u>	☒ Yes ☐ No

c. Brief explanation on Public Involvement and Participation reporting. *Limit response to 250 characters and/or attach supplemental information on the attachments page.*

A clean up and recycling events were conducted. Joe Pingel Cedar Corporation provided numerous updates to the Board on erosion control and concerns observed in the Village and a result of MS4 inspections.

Missing Information

Do not close your work until you **SAVE**.

Note: For the minimum control measures, you must fill out all questions in sections 1 through 7

Form 3400-224 (R8/2021)

Minimum Control Measures - Section 3 : Complete

3. Illicit Discharge Detection and Elimination

- | | | |
|----|--|---------------------------------|
| a. | How many total outfalls does the municipality have? | <input type="text" value="21"/> |
| b. | How many major outfalls does the municipality have? | <input type="text" value="21"/> |
| c. | How many outfalls did the municipality evaluate as part of their routine ongoing field screening program? | <input type="text" value="21"/> |
| d. | From the municipality's routine screening, how many were confirmed illicit discharges? | <input type="text" value="0"/> |
| e. | How many illicit discharge complaints did the municipality receive? | <input type="text" value="0"/> |
| f. | From the complaints received, how many were confirmed illicit discharges? | <input type="text" value="0"/> |
| g. | How many of the identified illicit discharges did the municipality eliminate in the reporting year (from both routine screening and complaints)? | <input type="text" value="0"/> |

(If the sum of 3.c. and 3.e. does not equal 3.f., please explain below.)

- h. What types of regulatory mechanisms does the municipality have available to compel compliance with this program? Check all that are available and how many times each were used in the reporting year.

- | | |
|---|--------------------------------|
| ☒ Verbal Warning | <input type="text" value="0"/> |
| ☒ Written Warning (including email) | <input type="text" value="0"/> |
| ☒ Notice of Violation | <input type="text" value="0"/> |
| ☐ Civil Penalty/ Citation | <input type="text" value="0"/> |

Additional Information:

- i. Brief explanation on Illicit Discharge Detection and Elimination reporting. *If you marked Unsure for any questions above, justify the reasoning. Limit response to 250 characters and/or attach supplemental information on the attachments page.*

During the screening process, the crews discovered a sink hole above a storm sewer pipe. They excavated and repaired the pipe joint.

Missing Information

Do not close your work until you **SAVE**.

Note: For the minimum control measures, you must fill out all questions in sections 1 through 7

Minimum Control Measures - Section 4 : Complete**4. Construction Site Pollutant Control**

- a. How many total construction sites with one acre or more of land disturbing construction activity were active at any point in the reporting year?
- b. How many construction sites with one acre or more of land disturbing construction activity did the municipality issue permits for in the reporting year?
- c. How many erosion control inspections did the municipality complete in the reporting year (at sites with one acre or more of land disturbing construction activity)?
- d. What types of regulatory mechanisms does the municipality have available to compel compliance with this program? Check all that are available and how many times each were used in the reporting year.
- | | |
|---|---------------------------------|
| ☒ Verbal Warning | <input type="text" value="30"/> |
| ☒ Written Warning (including email) | <input type="text" value="1"/> |
| ☒ Notice of Violation | <input type="text" value="3"/> |
| ☐ Civil Penalty/ Citation | <input type="text"/> |
| ☐ Stop Work Order | <input type="text"/> |
| ☐ Forfeiture of Deposit | <input type="text"/> |
| ☐ Other - Describe below | <input type="text"/> |
- e. Brief explanation on Construction Site Pollutant Control reporting . *If you marked Unsure for any questions above, justify the reasoning. Limit response to 250 characters and/or attach supplemental information on the attachments page.*

Construction sites are inspected every 45 days. Minor issues are discussed with the contractor. If not resolved, an email will be sent. A violation letter is sent if issue remains or if the violation is severe enough.

Missing Information

Do not close your work until you **SAVE**.

Note: For the minimum control measures, you must fill out all questions in sections 1 through 7

Minimum Control Measures - Section 5 : Complete**5. Post-Construction Storm Water Management**

- a. How many new structural storm water management Best Management Practice (BMP) have received local approval ?
- *Engineered and constructed systems that are designed to provide storm water quality control such as

wet detention ponds, constructed wetlands, infiltration basins, grassed swales, permeable pavement,

- b. Does the MS4 have procedures for inspecting and maintaining private storm water facilities? ☐ Yes ☒ No

- c. If Yes, how many privately owned storm water management facilities were inspected in the reporting year ? Inspections completed by private landowners should be included in the reported number.

- d. Does the municipality utilize privately owned storm water management BMP in its pollutant reduction analysis? ☐ Yes ☒ No

- e. Does MS4 have maintenance authority on these privately owned BMPs?
☒ Yes ☐ No

- f. What types of enforcement actions does the municipality have available to compel compliance with the regulatory mechanism? Check all that apply and enter the number of each used in the reporting year.

☒ Verbal Warning	0
☒ Written Warning (including email)	0
☒ Notice of Violation	0
☐ Civil Penalty/ Citation	
☐ Forfeiture of Deposit	
☒ Complete Maintenance	0
☒ Bill Responsible Party	0
☐ Other - Describe below	

- g. Brief explanation on Post-Construction Storm Water Management reporting . *If marked 'Unsure' on any questions above, justify your reasoning. Limit your response to 250 characters and/or attach supplemental information on the attachments page.*

Village Staff and Cedar Corporation will review post construction BMP if a complaint is received after construction is closed out.

Missing Information

Do not close your work until you **SAVE**.

Note: For the minimum control measures, you must fill out all questions in sections 1 through 7

Form 3400-224 (R8/2021)

Minimum Control Measures - Section 6 : Complete

6. Pollution Prevention

Storm Water Management Best Management Practice Inspections ☐ Not Applicable

a.

Enter the total number of "municipally owned" (i.e., publicly owned BMPs) or operated (i. e., privately owned BMPs) structural storm water management best management practices.

b. How many new municipally owned storm water management best management practices were installed in the reporting year ?

c. How many municipally owned (public) storm water management best management practices were inspected in the reporting year?

d. What elements are looked at during inspections (250 character limit)?

Look for signs of erosion or animal burrows. Clean up trash and make sure outfalls are not blocked

e. How many of these facilities required maintenance?

f. Brief explanation on Storm Water Management Best Management Practice inspection reporting. *If you marked Unsure for any questions above, justify the reasoning. Limit response to 250 characters and/or attach supplemental information on the attachments page.*

Village staff regularly mows the area around the BMPs. Staff members will walk the perimeter of the BMP to look for signs of erosion and other elements stated above.

Public Works Yards & Other Municipally Owned Properties that require a stormwater pollution prevention plan (SWPPP)* ☐ Not Applicable

g. How many municipal properties require a SWPPP?

h. How many inspections of municipal properties have been conducted in the reporting year?

i. Have amendments to the SWPPPs been made?

☐ Yes ☒ No

j. If yes, describe what changes have been made. Limit response to 250 characters and/or attach supplemental information on the attachment page:

k. Brief explanation on Storm Water Pollution Prevention Plan reporting. *If you marked Unsure for any questions above, justify the reasoning. Limit response to 250 characters and/or attach supplemental information on the attachments page.*

Village staff will walk the perimeter of the site to look for signs of erosion and verify that there is no runoff from stock piles materials

* Any municipally owned property that has the potential to generate stormwater pollution should have a SWPPP. For example, if a municipal property stores compost piles, material storage, yard wastes, etc., outside and can contaminate stormwater runoff—a SWPPP is required.

Collection Services - Street Sweeping Program ☐ Not Applicable

l. Did the municipality conduct street sweeping during the reporting year?

☒ Yes ☐ No

m. If known, how many tons of material was removed?

n. Does the municipality have a [low hazard exemption](#) for this ☐ Yes ☒ No

material?

- o. If street sweeping is identified as a storm water best management practice in the pollutant loading analysis, was street cleaning completed at the assumed frequency?
- ☒ Yes - Explain frequency Multiple times in spring and fall
- ☐ No - Explain _____
- ☐ Not Applicable

Collection Services - *Catch Basin Sump Cleaning Program* ☒ Not Applicable

Collection Services - *Leaf Collection Program* ☒ Not Applicable

Winter Road Management ☐ Not Applicable

*Note: We are requesting information that goes beyond the reporting year, answer the best you can.

- aa. How many lane-miles of roadway is the municipality responsible for doing snow and ice control? *(One mile of a two-way road equals two lane miles.)*

- ab. Provide amount of de-icing products used by month last winter season?
Solids (tons) (ex. sand, or salt-sand)

Product	Oct	Nov	Dec	Jan	Feb	Mar
<u>Salt</u>	0	0	23	13	3	0
<u>Salt/sand mix</u>	0	10	61	26	6	0

Liquids (gallons) (ex. brine)

	Oct	Nov	Dec	Jan	Feb	Mar
<u>Brine</u>	0	0	0	0	0	0

- ac. Was salt applying machinery calibrated in the reporting year? ☒ Yes ☐ No
- ad. Have municipal personnel attended salt reduction strategy training in the reporting year? ☒ Yes ☐ No

Training Date	Training Name	# Attendance
10/1/2025	Salt Wise	2

- ae. Brief explanation on Winter Road Management reporting. *If you marked Unsure for any questions above, justify the reasoning. Limit response to 250 characters and/or attach supplemental information on the attachments page*

DPW explains to staff the proper use of sand/salt mix and salt application. The Village only applies when needed.

Internal (Staff) Education & Communication

- af. Has the municipality provided an opportunity for internal training or education to staff implementing the municipality's procedures for each of the pollution prevention program element ? ☒ Yes ☐ No
- If yes, describe what training was provided (250 character limit):
- ag. Describe how the municipality has kept the following local officials and municipal

staff aware of the municipal storm water discharge permit programs, procedures and pollution prevention program requirements.

Elected Officials

Storm Water Management and erosion control is discussed at board meetings

Municipal Officials

Cedar Corporation and Village Staff discuss the permit requirements as needed.

Appropriate Staff (such as operators, Department heads, and those that interact with public)

Village Administrator and DPW discuss permit requirements with staff as needed when minimum control measures are being worked on.

- ah. Brief explanation on Internal Education reporting. *If you marked Unsure for any questions above, justify the reasoning. Limit response to 250 characters and/or attach supplemental information on the attachments page.*

IDDE procedure is reviewed prior to inspections. Staff attends salt usage training. Other training is completed as needed

Missing Information

Do not close your work until you **SAVE**.

Note: For the minimum control measures, you must fill out all questions in sections 1 through 7

Form 3400-224 (R8/2021)

Minimum Control Measures - Section 7 : Complete

7. Storm Sewer System Map

- a. Did the municipality update their storm sewer map this year?

☐ Yes ☒ No

If yes, check the areas the map items that got updated or changed:

☐ Storm water treatment facilities

☐ Storm pipes

☐ Vegetated swales

☐ Outfalls

☐ Other - Describe below

The Village maintains a GIS map for Storm, Water and Sanitary Sewer.

- b. Brief explanation on Storm Sewer System Map reporting. *If you marked Unsure for an question for any questions above, justify the reasoning. Limit response to 250 characters and/or attach supplemental information on the attachments page.*

Missing Information

Do not close your work until you SAVE.

Form 3400-224 (R8/2021)

Final Evaluation - Complete

Fiscal Analysis

Complete the fiscal analysis table provided below. For municipalities that do not break out funding into permit program elements, please enter the monetary amount to your best estimate of what funding may be going towards these programs.

Annual Expenditure Reporting Year	Budget Reporting Year	Budget Upcoming Year	Source of Funds
--------------------------------------	--------------------------	----------------------------	-----------------

Element: Public Education and Outreach

1000	1000	1000	<u>Storm water utility</u>
------	------	------	----------------------------

Element: Public Involvement and Participation

1000	1000	1000	<u>Storm water utility</u>
------	------	------	----------------------------

Element: Illicit Discharge Detection and Elimination

1500	1500	1500	<u>Storm water utility</u>
------	------	------	----------------------------

Element: Construction Site Pollutant Control

28000	33000	30000	<u>Storm water utility</u>
-------	-------	-------	----------------------------

Element: Post-Construction Storm Water Management

5000	5000	5000	<u>Storm water utility</u>
------	------	------	----------------------------

Element: Pollution Prevention

30000	30000	30000	<u>Storm water utility</u>
-------	-------	-------	----------------------------

Other (describe)

			<u>Select...</u>
--	--	--	------------------

Please provide a justification for a "0" entered in the Fiscal Analysis. *Limit response to 250 characters.*

Water Quality

a: Were there any known water quality improvements in the receiving waters to which the

municipality's storm sewer system directly discharges to?

☐ Yes ☒ No ☐ Unsure If Yes, explain below:

b: Were there any known water quality degradation in the receiving waters to which the municipality's storm sewer system directly discharges to?

☐ Yes ☒ No ☐ Unsure If Yes, explain below:

c: Have any of the receiving waters that the municipality discharges to been added to the impaired waters list during the reporting year?

☐ Yes ☒ No ☐ Unsure

d: Has the municipality evaluated their storm water practices to reduce the pollutants of concern?

☐ Yes ☒ No ☐ Unsure

Storm Water Quality Management

a. Has the municipality completed or updated modeling in the reporting year (relating to developed urban area performance standards of s. NR 151.13(2)(b)1., Wis. Adm. Code)? ☐ Yes ☒ No

b. If yes, enter percent reduction in the annual average mass discharging from the entire MS4 to surface waters of the state as compared to implementing no storm water management controls:

Total suspended solids (TSS)

Total phosphorus (TP)

Additional Information

Based on the municipality's storm water program evaluation, describe any proposed changes to the municipality's storm water program. *If your response exceeds the 250 character limit, attach supplemental information on the attachments page.*

Do not close your work until you SAVE.

--	--	--	--	--	--	--

Form 3400-224 (R8/2021)

Requests for Assistance on Understanding Permit Programs

Would the municipality like the Department to contact them about providing more information on understanding any of the Municipal Separate Storm Sewer Permit programs?

Please select all that apply:

- ☐ Public Education and Outreach
- ☐ Public Involvement and Participation
- ☐ Illicit Discharge Detection and Elimination
- ☐ Construction Site Pollutant Control
- ☐ Post-Construction Storm Water Management
- ☐ Pollution Prevention
- ☐ Storm Water Quality Management
- ☐ Storm Sewer System Map
- ☐ Water Quality Concerns
- ☐ Compliance Schedule Items Due
- ☐ MS4 Program Evaluation

Do not close your work until you **SAVE**.

Form 3400-224(R8/2021)

Required Attachments and Supplemental Information

Any other MS4 program information for inclusion in the Annual Report may be attached on here. Use the Add Additional Attachments to add multiple documents.

Upload Required Attachments (15 MB per file limit) - [Help reduce file size and trouble shoot file uploads](#)

***Required Item**

Note: To replace an existing file, use the 'Click here to attach file ' link or press the to delete an item.

Attach - Other Supporting Documents

(To remove items, use your cursor to hover over the attachment section. When the drop down arrow appears, select remove item)

Attach - Permit Compliance Documents

(To remove items, use your cursor to hover over the attachment section. When the drop down arrow appears, select remove item)

Missing Information

Draft and Share PDF Report with the permittee's governing body or delegated representatives.

Press the button below to create a PDF. The PDF will be sent to the email address associated with the WAMS ID that is signed in. After the annual report has been reviewed by the governing body or delegated representative, return to the MS4 eReporting System to submit the final report to the DNR.

[Draft and Share PDF Report](#)

Complete and Submit Your Application

You have not completed all areas of the application. Please return to the application and complete all missing items.

Contact Information: [Complete](#)

Minimum Control Measures Section 1: [Complete](#)

Minimum Control Measures Section 2: [Complete](#)

Minimum Control Measures Section 3: [Complete](#)

Minimum Control Measures Section 4: [Complete](#)

Minimum Control Measures Section 5: [Complete](#)

Minimum Control Measures Section 6: [Complete](#)

Minimum Control Measures Section 7: [Complete](#)

Attachments: [Optional- Please Review](#)

Final Evaluation: [Complete](#)